

**PROFOTO PRODUCTS**

**PRICE LIST**  
**2012 €**

Product #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	-----------------------------------

**PROFOTO PRO FAMILY SYSTEM**



**PRO-8 AIR**

Fully asymmetric 10 f-stops (9 f-stop / 1200Ws) power range in 1/10 f-stop increments. Energy precision 1/50 f-stop flash-to-flash. Color stability flash to flash +/- 40 deg Kelvin. Color stability – energy setting 10.0~6.0 +/- 50 deg Kelvin 10.0~4.0 +/-1100 deg Kelvin 10.0~2.0 +/-190 deg Kelvin. Up to 20 flashes per second. Modeling light up to 1000 W. Built-in wireless Profoto Air with a range up to 300 m. Multi voltage 110/230V/50-60Hz. Incl. power and synchro cable.

901001	Pro-8a 1200 Air	6 699,00
--------	-----------------	----------

Energy 1200 Ws. Energy control 5~1200 Ws. Recycling 0.05~0.5 sec. Flash duration (t<sub>0.5</sub>) 1/12000~1/2200. Size 34.5 x 18.5 x 25 cm / 13.6 x 7.3 x 9.8 cm. Weight 11.4 kg/25.2 lbs.

901002	Pro-8a 2400 Air	8 449,00
--------	-----------------	----------

Energy 2400 Ws. Energy control 5~2400 Ws. Recycling 0.05~0.9 sec. Flash duration (t<sub>0.5</sub>) 1/12000~1/1600. Size 37 x 18.5 x 25 cm / 14.5 x 7.3 x 9.8 cm. Weight 12.2 kg/26.9lbs.



**PRO-7A**

Asymmetrical/symmetrical. 6 f-stop power range in 1/6 f-stop increments. Color temperature and exposure level are accurately maintained at all power levels. Normal/fast/turbo recycling. Auto-bracketing – 1/3, 1/2 or 2/3 steps. Switched audible recharge signal. 3 Lamphead outlets. Multi voltage 110/230V/50-60Hz. Incl. power and synchro cable.

900722	Pro-7a 1200	5 453,00
--------	-------------	----------

Flash duration (t<sub>0.5</sub>): 1/2200~1/12000 sec. 100% Recycle Time: 0.08~0.8 sec. Size: 34 x 17 x 24 cm / 13.5 x 6.7 x 9.5 in. Weight: 9 kg / 20 lbs.

900723	Pro-7a 2400	6 900,00
--------	-------------	----------

Flash duration (t<sub>0.5</sub>): 1/1600~1/8000 sec. 100% Recycle Time: 0.12~1.5 sec. Size: 40 x 17 x 24 cm / 15.5 x 6.7 x 9.5 in. Weight: 12 kg / 27 lbs.



**PRO-7S**

Symmetrical. 6 f-stop power range in 1/6 f-stop increments. Color temperature and exposure level are accurately maintained at all power levels. Normal/fast recycling. Built-in slave cell. Switched audible recharge signal. 2 Lamphead outlets. Multi voltage 110/230V/50-60Hz. Incl. power and synchro cables.

900738	Pro-7s 1200	5 043,00
--------	-------------	----------

Flash duration (t<sub>0.5</sub>): 1/2200~1/12000 sec. 100% Recycle Time: 0.08~0.9 sec. Size: 32 x 17 x 24 cm / 12 x 6.7 x 9.5 in. Weight: 9 kg / 20 lbs.

900739	Pro-7s 2400	6 269,00
--------	-------------	----------

Flash duration (t<sub>0.5</sub>): 1/1600~1/8000 sec. 100% Recycle Time: 0.12~1.5 sec. Size: 40 x 17 x 24 cm / 15.5 x 6.7 x 9.5 in. Weight: 12 kg / 27 lbs.

# PROFOTO GENERATORS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

## PRO BATTERY GENERATORS



### PRO-B3 AIR

Symmetrical/ asymmetrical. 8 f-stop power range in 1/10 or 1/2 f-stop increments. Up to 300 flashes at full power per battery charge. Normal/fast recycle. Profoto Air Sync receiver built-in (transmitter sold separately) and Pro-B3 AirS/R also include PocketWizard receiver. Incl. multivoltage charger (90~260V AC) and synchro cable.

Accepts all Pro-series flash heads. Modeling lamp light automatically regulated to 250W.

900980	Pro-B3 AirS	4 637,00
900996	Pro-B3 AirS/R 344MHz (US radio)	5 037,00
900997	Pro-B3 AirS/R 433MHz (CE radio)	5 037,00

Lithium Ion Phosphate Battery

Flash duration ( $t_{0.5}$ ): 1/2200~1/7400 sec. 100% Recycle Time: 1.8~0.06 sec.

Size: 28 x 17 x 24 cm / 11 x 6.7 x 9.4 in. Weight: 8.8 kg / 19 lbs.

### PRO-7B

Asymmetrical/symmetrical. 7 f-stop power range in 1/6 f-stop increments. Up to 250 flashes at full power per battery charge. Short duration. Fast recycling. 2 head. Multivoltage charger (90~260V AC) and synchro cable included

Accepts all Pro-7 OR Pro-B flashheads. Modeling lamp light automatically regulated to 100W.

900721	Pro-7b 1200	3 687,00
--------	-------------	----------

Flash duration ( $t_{0.5}$ ): 1/1400~1/3000 sec. 100% Recycle Time: 0.09~2.8 sec.

Size: 24 x 17 x 24 cm / 9.5 x 6.7 x 9.4 in. Weight: 11.5 kg / 25 lbs.

## PRO BATTERY ACCESSORIES

900926	LiFe Battery including Cassette (for Pro-B3, Pro-B2 and Pro-7b)	689,00
900726	Pb Battery including Cassette (for Pro-B3, Pro-B2 and Pro-7b)	379,00
100221	Pb Battery for Pro-B 12 V. 12 Ah (for 900726)	89,00
900765	Pro-B Universal Power Adapter Kit	1 310,00
340202	Pro-B Protective Bag	199,00
100218	Profoto battery charger 2 A	215,00
900895	Pro-B MainsDock	899,00



## PROHEADS

Compatible with Pro-8a Air, Pro-7a, Pro-7s, Pro-7b, Pro-B3 AirS and D4 Generators. It features a heavy duty quartz flash tube which surrounds the modeling lamp. It accepts the complete Profoto system of modular Light Shaping Tools.

Removable handle for easier adjustment of heavy Light Shaping Tools

900709	ProHead UV 250 W. Zoom reflector	1 499,00
	Incl. flashtube. 250 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom reflector. Stand adapter 5/8 in. 4m. lamp cable.	
900727	ProHead UV 500 W. Zoom reflector	1 539,00
	Incl. flashtube. 500 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom reflector. Stand adapter 5/8 in. 4m. lamp cable.	
900725	Pro-B head UV 100 W. Disc reflector	779,00
900782	Pro-B head UV 100 W. Zoom reflector	849,00
	Incl. flashtube. 100 W halogen lamp. protective transportation cap and a 3 m (10 ft) lamp cable.	
	Size: 22 x 10 cm / 8.5 x 4 in (w/o reflector). Weight: 1.8 kg / 3.9 lbs. Available with both Disc and Zoom Reflector	
900719	ProTwin UV 500 W. Magnum reflector	2 449,00
	Incl. two flashtubes. 500 Watt modeling light Mini-can E11 socket. Frosted removeable 100 mm glass cover. Plastic transport cap. Magnum Reflector. Stand adapter 5/8 in. 4m. lamp cable.	



PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

300515	ProRing UV Max energy = 2400 Ws (9600 Ws/min). Quartz flashtube. UV-coated protection glass. Adjustable L-bracket adjusts to most 35mm and medium format cameras. 4 m. lamp cable <b>The ProRing Flashtube is not user replaceable. Please. contact your profoto service station.</b>	1 219,00
300517	ProRing2 200 W Max energy = 2400 Ws per flash. Quartz flashtube. Protective front mesh (steel). 200W (10 x 12V/20W) halogen modeling light. Two temperature controlled variable speed fans. Adjustable L-bracket adjusts to most 35mm and medium format cameras. 4 m. lamp cable.	1 869,00
<b>PROHEAD ACCESSORIES</b>		
100708	Transport Protective Cap	14,00
100638	Metall Protective Cap	70,00
303518	Pro Lamp Extension Cable 5 m	255,00
303519	Pro Lamp Extension Cable 10 m	345,00
100709	Handle Pro-7Head	35,00
301503	Glass Cover for Ringflash	20,00

## D4 AIR STUDIO GENERATORS



4 full asymmetric adjustable lamp connections. 8 f-stop power range in 1/10th or 1 f-stop increments. Constant color temperature flash-to-flash over the whole power range. Energy stability +/- 1/100 f-stop. Full wireless remote control and remote triggering with Profoto AirRemote. Complete computer control via Air USB. Innovative special functions, such as "Sequence. Delay.and Intervalometer". Multi voltage 110/230V/50-60Hz. Compatible with the entire range of Profoto Acute/D4 Heads, ProHeads and Profoto Light Shaping Tools and accessories. Incl. power and synchro cable.

### D4 AIR

900891	D4 1200 Air Watt Seconds: 9~1200. Flash duration (t <sub>0.5</sub> ): 1/7500 sec. (9 Ws)~1/1000 sec. (1200 Ws). 100% Recycle Time: 0.07 sec.~1.20 sec. Size: 29 x 20 x 28 cm / 11.6 x 8 x 11.2 in. Weight: 10 kg / 22 lbs.	5 999,00
900892	D4 2400 Air Watt Seconds: 18~2400. Flash duration (t <sub>0.5</sub> ): 1/4500 sec. (18 Ws)~1/600 sec. (2400 Ws). 100% Recycle Time: 0.09 sec.~2.20 sec. Size: 32 x 20 x 28 cm / 12.8 x 8 x 11.2 in. Weight: 11.5 kg / 25 lbs.	6 899,00
900893	D4 4800 Air Watt Seconds: 36~4800. Flash duration (t <sub>0.5</sub> ): 1/2700 sec. (36 Ws)~1/350 sec. (4800 Ws). 100% Recycle Time: 0.12 sec.~4.40 sec. Size: 36 x 20 x 28 cm / 14.4 x 8 x 11.2 in. Weight: 13.5 kg / 29.5 lbs.	8 499,00

### D4 ACCESSORIES

100281	Dust cover D4 Generator	69,00
103201	USB Standard Cable 5 m	5,00

# PROFOTO GENERATORS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

## ACUTE FAMILY GENERATORS



Symmetrical/asymmetrical power distribution. 6 f-stop power range. 2 f-stop bracketing dial. Multi-voltage 110V~220V. 3 Lamphead outlets. R version has PocketWizard 32-Channel/Quad-Triggering Receiver built-in. 344 MHz for US and 433 MHz for EU. Compatible with the entire range of Profoto Acute/D4 Heads and Profoto Light Shaping Tools and accessories Incl. power and synchro cable.

### ACUTE2 STUDIO GENERATORS. INCL. POWER CABLE AND SYNCHRO CABLE

900773	Acute2 1200	1 584,00
900775	Acute2r 1200 344 MHz.	1 976,00
900811	Acute2r 1200 433 MHz.	1 976,00

Flash duration ( $t_{0.5}$ ): 1/560~1/3200 sec. 100% Recycle Time: 0.09~1.6 sec.  
Size: 22 x 19 x 13 cm / 8.7 x 7.5 x 5 in. Weight: 4.1 kg / 9 lbs.

900774	Acute2 2400	2 147,00
900776	Acute2r 2400 344 MHz.	2 547,00
900812	Acute2r 2400 433 MHz.	2 547,00

Flash duration ( $t_{0.5}$ ): 1/320~1/1800 sec. 100% Recycle Time: 0.18~3.2 sec.  
Size: 30 x 19 x 13 cm / 11.7 x 7.5 x 5 in. Weight: 5.9 kg / 12.9 lbs.



## ACUTE B2 BATTERY GENERATORS

Lithium Ion or Lead Acid batteries. Up to 200 full power flashes per charge with Lithium Ion Batteries. Profoto Air Sync built in. R version has PocketWizard 32-Channel/Quad-Triggering Receiver built-in. 344 MHz for US and 433 MHz for EU Accept AcuteB heads and Profoto Acute/D4 Heads (with modeling light adapter) and Profoto Light Shaping Tools and accessories.

901101	AcuteB2 AirS Li	1 759,00
901102	AcuteB2 AirS/R 344MHz. US	2 049,00
901103	AcuteB2 AirS/R 433MHz. EC	2 049,00

Flash duration ( $t_{0.5}$ ): 1/6800 - 1/1000 sec. 100% Recycle Time: 0.08 - 2.0 sec.  
Size: 19 x 19 x 13 cm, 7.5 x 7.5 x 5 inch. Weight: 3.6 kg / 8.9 lbs.

## ACUTE BATTERY ACCESSORIES

901105	LiFe Battery incl. Cassette	359,00
900934	Pb Battery incl. Cassette	169,00
100290	Profoto battery charger 1 A	99,00
100218	Profoto battery charger 2 A	215,00
100222	Pb Battery for AcuteB 12 V. 5 Ah (for 900934)	35,00
330211	Profoto AcuteB Kit Bag incl. Strap	85,00
100291	Profoto Adapter 85 W	199,00



## ACUTE/D4 HEADS

The voltage 120V or 230V on heads are depending on the setting of the flash generators modelling light voltage. For example the D4 set to ACU gives out 120v or 230V (mains voltage) and in PRO 120V modelling lamp voltage. The Acute2 always gives the same voltage as the mains voltage (230 V in the most European countries).

900666	Acute/D4 head UV 230 V. 250 W	959,00
Incl. flashtube. 250 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom reflector. Stand adapter 5/8 in. 4m. lamp cable.		
900669	Acute/D4 head UV 230 V. 500 W	999,00

Incl. flashtube. 500 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom Reflector. Stand adapter 5/8 in. 4m. lamp cable.



PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
900678	Acute/D4 twin UV 230 V. 500 W  Incl. two flashtubes. 500 Watt modeling light Mini-can E11 socket. Frosted removeable 100 mm glass cover. Plastic transport cap. Magnum Reflector. Stand adapter 5/8 in. 4m. lamp cable.	1 699,00
900625	Acute/D4 head UNC 230 V. 250 W	954,00
900618	Acute/D4 head UNC 120 V. 250 W  Incl. flashtube. 250 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom reflector. Stand adapter 5/8 in. 4m. lamp cable.	954,00
900617	Acute/D4 Twin UNC 230 V. 500 W	1 689,00
900619	Acute/D4 Twin UNC 120 V. 500 W  Incl. flashtube. 500 Watt modeling light Mini-can E11 socket. Frosted removeable 75 mm glass cover. Plastic transport cap. Standard Zoom Reflector. Stand adapter 5/8 in. 4m. lamp cable.	1 689,00
330513	Acute/D4 Ring	799,00
330514	Acute/D4 Ring UNC  Max energy = 2400 Ws (9600 Ws/min). Quartz flashtube. UV-coated protection glass. Adjustable L-bracket adjusts to most 35mm and medium format cameras. 4 m. lamp cable <b>The Acute/D4 Ring Flashtube is not user replaceable. Please. contact your profoto service station.</b>	799,00



## ACUTE B HEADS

The AcuteB Head includes: flash tube. 65 W halogen lamp. protective transportation cap and a 3 m (10 ft) lamp cable. Size: 22 x 10 cm / 8.5 x 4 in (w/o reflector). Weight: 1.8 kg / 3.9 lbs. Available with both Disc and Zoom Reflector

900935	AcuteB Head UV	639,00
900936	AcuteB Head Zoom UV	669,00
900937	AcuteB Head Zoom UNC	659,00
900938	AcuteB Head UNC	629,00

## ACUTE/D4 HEAD ACCESSORIES

330601	Lamp extension cable for Acute/D4 head 5 m	189,00
301503	Glass Cover Ringflash	20,00
100708	Transport Protection Cap	14,00
100638	Metal transport cap	70,00

## ACUTE2 VALUE KITS

900771	Acute2 1200 Value Kit (incl. 900773. 2x900666. 330210)	3 410,00
900772	Acute2 2400 Value Kit (incl. 900774. 2x900666. 330210)	3 950,00
900823	Acute2r 1200 Value Kit EUR (incl. 900811. 2x900666. 330210)	3 789,00
900824	Acute2r 2400 Value Kit EUR (incl. 900812. 2x900666. 330210)	4 299,00
900691	Acute2 1200 Value Kit 500W (incl. 900773. 2x900669. 330210)	3 449,00

## ACUTE B2 VALUE KITS

900976	AcuteB2 Air Kit UV. AirSync. (incl. 901101. 900935. 901032 and 330211)	2 499,00
900977	AcuteB2 Air Kit UNC. AirSync. (incl. 901101. 900938. 901032 and 330211)	2 499,00
900978	AcuteB2 Air Kit UV. Sync cable. (incl. 901101. 900935. 103001 and 330211)	2 392,00
900979	AcuteB2 Air Kit UNC. Sync cable. (incl. 901101. 900938. 103001 and 330211)	2 392,00



# PROFOTO GENERATORS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------



## D1 MONOLIGHT UNITS

7 f-stops power range in 1/10 or 1 f-stop increments. Integrated Profoto AIR radio sync and remote. Wireless control up to 300 m. Integrated reflector and umbrella holder. Bright, auto-proportional model light (300W halogen). Compatible with more than 120 Light Shaping Tools and with Profoto's portable power source the BatPac  
D1 Units include: Power cable. (D1 Sync Cord not included).

901021	D1 250	699,00
901022	D1 Air 250	819,00
Flash duration (t <sub>0.5</sub> ): 1/3700 - 1/1400 sec. 100% Recycle Time: 0.2 - 0.65 sec. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs.		
901023	D1 500	779,00
901024	D1 Air 500	899,00
Flash duration (t <sub>0.5</sub> ): 1/2600 - 1/1000 sec. 100% Recycle Time: 0,2 - 0,95 sec. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs.		
901025	D1 Air 1000	1 299,00
Flash duration (t <sub>0.5</sub> ): 1/1800 - 1/700 sec. 100% Recycle Time: 0.2 - 2 sec. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs.		



## D1 VALUE KITS

### D1 BASIC KIT

D1 Basics Kits include: 2 x D1 units. 1 x D1 Basic Kit Case and either Profoto Air Remote (Air equipped units) or a synchro cord.

901060	D1 Basic Kit 250/250 incl. sync cable	1 412,00
901061	D1 Basic Kit 250/250 Air incl. Air Remote	1 793,00
901062	D1 Basic Kit 500/500 incl. sync cable	1 572,00
901063	D1 Basic Kit 500/500 Air incl. Air Remote	1 953,00
901064	D1 Basic Kit 1000/1000 Air incl. Air Remote	2 753,00
901077	D1 Basic Kit 250/500 incl. sync cable	1 492,00
901078	D1 Basic Kit 250/500 Air incl. Air Remote	1 873,00
901079	D1 Basic Kit 500/1000 Air incl. Air Remote	2 353,00

### D1 STUDIO KIT

D1 Studio Kits include: 2 x D1 units. 2 x D1 Umbrellas. 2 x D1 Light Stands. 1 x D1 Studio Kit Case and either Profoto Air Remote (Air Equipped units) or a Sync Cord

901050	D1 Studio Kit 250/250 incl. sync cable	1 549,00
901051	D1 Studio Kit 250/250 Air incl. Air Remote	1 930,00
901052	D1 Studio Kit 500/500 incl. sync cable	1 709,00
901053	D1 Studio Kit 500/500 Air incl. Air Remote	2 090,00
901054	D1 Studio Kit 1000/1000 Air incl. Air Remote	2 890,00
901055	D1 Studio Kit 250/250 w/o Air Remote	1 775,00
901056	D1 Studio Kit 500/500 w/o Air Remote	1 935,00
901057	D1 Studio Kit 1000/1000 w/o Air Remote	2 735,00
901058	D1 Studio Kit 250/500 incl. sync cable	1 629,00
901059	D1 Studio Kit 250/500 Air incl. Air Remote	2 010,00
901074	D1 Studio Kit 500/1000 Air incl. Air Remote	2 490,00
901075	D1 Studio Kit 250/500 Air w/o Air Remote	1 855,00
901076	D1 Studio Kit 500/1000 Air w/o Air Remote	2 335,00



PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

D1 Studio Kits include: 3 x D1 units. 3 x D1 Light Stands. 1 x Softbox 2 x 3, 1 x softbox 1.3 x 2 and 1 D1 grid 10°, 1 x D1 Studio Kit trolley bag and Profoto Air Remote

901086	<b>NEW</b> D1 Studio Kit 250/500/500 Air	3 480,00
901087	<b>NEW</b> D1 Studio Kit 500/500/1000 Air	3 960,00
901088	<b>NEW</b> D1 Studio Kit 500/1000/1000 Air	4 360,00

## D1 ACCESSORIES

330211	D1 Basic /AcuteB kit bag	85,00
330212	D1 Kit Case. Studio kit bag	101,00
	D1 Studio kit trolley bag. Coming soon	
101085	D1 stands	45,00
100787	Umbrellas White small	69,00
100799	Protective Cap D1. standard	16,00
100794	D1 Spillkill reflector	75,00
100795	Grid 5° D1	79,00
100796	Grid 10° D1	79,00
100797	Grid 20° D1	79,00
103001	Synchro cable. 5 m	19,00



## CONTINUOUS LIGHT

### PRODAYLIGHT

ProDaylight 800 Air are Metal Halide (HMI) base continuous light sources. which are dedicated to work with most existing line of Profoto's Light Shaping Tools. Integrated Air radio remote control (output & on/off). Wattage 800 W. Lamp Life Approx. 750 hours. Socket Type G 22. Color Temperature 5600 Kelvin. Fan Mode Silent. Max. Input voltage Auto sensing 95-265 VAC . 50/60 hz. Size Head: 39 x 13 x 18 cm (15 x 5 x 7 in.) Ballast: 38 x 14 x 19 cm (15 x 5.5 x 7.5 in.). Weight Head: 2.3 kg (5 lbs.) without cable. Ballast: 6.7 kg (14.7 lbs.).

901181	<b>NEW</b> ProDaylight 200 Air Head incl metal cap, frosted glass cover and bulb	1 445,00
901171	<b>NEW</b> ProDaylight 400 Air Head incl metal cap, frosted glass cover and bulb	1 695,00
901172	ProDaylight 800 Air Head incl. Metal Cap. Glass cover and the bulb	1 749,00
901145	<b>NEW</b> ProDaylight 200 Air basic kit, incl ProDaylight Air head and Ballast, 901181 & 901131	3 190,00
901141	<b>NEW</b> ProDaylight 400 Air basic kit, incl ProDaylight Air head and Ballast, 901171 & 901131	3 425,00
901142	ProDaylight 800 Air Basic (incl. Ballast and Head)	4 349,00
901131	<b>NEW</b> ProBallast 200 / 400 Fanless Flicker Free Electronic	2 195,00
901132	ProBallast 800W Fanless Flicker Free Electronic	3 299,00

### PROTUNGSTEN

ProTungsten units can be used with 500W or 1000W halogen lamps and are equipped with a state of the art cooling system. which is designed to minimize noises. Integrated Air radio remote control (output & on/off). Lamp Type 120V : 1000 W FEL. 500 W EHC. 220-240V : 1000 W FEP. 500 W. Wattage 500W or 1000W. Lamp Life Approx. 250 hours. Socket Type G 9.5. Color Temperature (max) 3200 K. Fan Mode Silent. Max. Voltage 100-240V 50/60 Hz. Dimming Yes (90 %). Size 39 x 13 x 18 cm (15 x 5 x 7 in.). Weight 2.7 kg (6 lbs.) without cable.



901161	ProTungsten Air Basic (incl. Metal cap. Glass cover but not the bulb.)	849,00
--------	--	--------

### CONTINUOUS LIGHT ACCESSORIES

282017	ProTungsten lamp 500W EHC 110V G9.5	37,00
282016	ProTungsten lamp 500W 240V G9.5	49,00
282015	ProTungsten lamp 1000W FEL 110V G9.5	41,00
282014	ProTungsten lamp 1000W FEP 240V G9.5	29,00
282023	<b>NEW</b> ProDaylight bulb 200W HR UV-C	249,00
282020	<b>NEW</b> ProDaylight bulb 400W HR UV-C	259,00

# LIGHT SHAPING TOOLS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
282021	ProDaylight bulb 800W HR/UV-C	249,00
100638	Metal Transport Cap for both ProDaylight and ProTungsten	70,00
101540	Frosted glass cover. Cont. light	169,00
101541	Clear glass cover. Cont. light	159,00
283522	<b>NEW</b> ProDaylight 200/400 Extension Cable 5m	249,00
283521	ProDaylight 800 Extension Cable 5m	269,00

## LIGHT SHAPERS FOR PROFOTO LIGHTING EQUIPMENT

The light modifiers listed below will fit on all Profoto lighting units, including Pro Series heads, Acute/D4 heads and D1 Monolight units. This excludes specialized flash heads such as the AcuteRing, which are units that require a power generator to operate and have separate accessories.



### GIANT REFLECTORS

The Profoto Giant Reflectors offer the truly parabolic and focusable silver reflectors in three sizes: 180 cm (6 ft.), 240 cm (8 ft.) and 300 cm (10 ft.) for an extra-wide and at the same time, crisp and very even light. With a 40 percent larger reflector area than the previous largest model, the Giant Reflector 300 is the biggest Light Shaping Tool Profoto has ever produced. The Giant Reflector 300 can provide the photographer with a seven square meter wall of crisp silver surface. That means a whole new way of working with large subject areas. Comes with a designed semi-hard bag holding one folded reflector and all accessories.

100318	Profoto Giant Reflector 180	2 499,00
100319	Profoto Giant Reflector 240	3 699,00
100320	Profoto Giant Reflector 300	4 899,00

### GIANT SILVER

The Profoto Giant Silvers offer silver reflectors in two sizes: 150 cm (5 ft.) and 210 cm (7 ft.), for a focusable and very large reflector in the studio or on location. Improvements include reinforced stitching and rod holders to support more rigorous use. Comes with a designed semi-hard bag, holding one folded reflector and all accessories.

100316	Profoto Giant Silver 150	1 129,00
100317	Profoto Giant Silver 210	1 399,00

### GIANT WHITE

The Profoto Giant Whites offer white reflectors in two sizes: 150 cm (5 ft.) and 210 cm (7 ft.), for a very large and smooth light source in the studio or on location. Aside from the white interior for softer highlights, they are identical to the Profoto Giant Silver units. Comes with a designed semi-hard bag, holding one folded reflector and all accessories.

100314	Profoto Giant White 150	1 019,00
100315	Profoto Giant White 210	1 129,00

### GIANT ACCESSORIES

254518	Diffuser 1 f-stop Giant 150	146,00
254519	Diffuser 1 f-stop Giant 210	195,00
254585	Diffuser 1 f-stop Giant 180	161,00
254531	Diffuser 1 f-stop Giant 240	244,00
254587	Diffuser 1 f-stop Giant 300	362,00
254522	Diffuser 1/3 f-stop Giant 150	208,00
254523	Diffuser 1/3 f-stop Giant 210	280,00
254586	Diffuser 1/3 f-stop Giant 180	265,00
254533	Diffuser 1/3 f-stop Giant 240	384,00
254588	Diffuser 1/3 f-stop Giant 300	419,00
254566	7' RingMask	273,00

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
254581	Bag for Giant 150	129,00
254582	Bag for Giant 180 & 210	199,00
254583	Bag for Giant 240	295,00
254584	Bag for Giant 300	349,00



## REFLECTORS

### DISC REFLECTOR

100654	Disc Reflector for umbrella	71,00
--------	-----------------------------	-------



### 7" GRID REFLECTOR AND ACCESSORIES

100705	7" Reflector	114,00
100634	Grid 10°	92,00
100635	Grid 5°	105,00



### ZOOM REFLECTORS AND ACCESSORIES

The Zoom Reflector – one of the most versatile reflectors. With the light characteristics of a wide angle and normal reflector and everything in between. Can be used in combination with umbrellas to reduce stray light as well. Standard accessory at Profoto Acute/D4 heads and ProHeads.

100610	Classic Zoom Reflector	101,00
100785	Zoom Reflector (standard. delivered with heads)	144,00
100786	Zoom-Cap	21,00
100671	Barndoor 4-sided for Zoomreflector	169,00
900649	Grid & Filterholder, needed to be able to use grid on Classic Zoom Reflector 100610	159,00
100604	Filter Cassette	39,00
100619	Diffusions Filter 19x19 cm	9,00
100606	Grid 20°. 180 mm	89,00
100605	Grid 10°. 180 mm	99,00
100646	Grid 5°. 180 mm	129,00
900362	Grid/Grid & Filterholder Kit	429,00
900849	Grid Kit 5. 10 & 20°. including bag	299,00
100651	Snoot for 900649	114,00

### MAGNUM. TELE-ZOOM. NARROW-BEAM REFLECTOR

100624	Magnum reflector 50° 337 mm	225,00
--------	-----------------------------	--------



For maximum output with a normal beam spread, 1 f-stop more light compared to Zoom Reflector. The Magnum Reflector provides a strong, smooth light. Although this is not a true focusing reflector, zooming it across the focal point does create interesting lighting effects.

100617	Narrow-Beam Reflector 32° 337 mm	229,00
100713	Narrow-Beam Travel reflector	169,00



The Narrow Beam Reflector (light-spread 32°) gives the highest light output of all Profoto reflectors. To achieve precise control over the direction of the light, the reflector can be extended by the ProTube and equipped with a Grid or a Barndoor. Reflectors such as the Narrow Beam are also known as "Downlights". Extreme hot spot with a harsh light fall-off.

100712	Tele-Zoom Reflector 337 mm	489,00
100618	Grid 10 degr. 337 mm	185,00
100670	ProTube. 337 mm	579,00
100715	Barndoor 4-sided. 337 mm	599,00

# LIGHT SHAPING TOOLS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

Sharing its basic lighting characteristics with the Zoom Reflector, this Tele-Zoom reflector is unique because the angle of light varies from 20 °s at head position 5, to 30 °s at head position 10. Even illumination and high light output add to the versatility of this unit.



## SOFTLIGHT REFLECTORS AND ACCESSORIES

The white Softlight Reflector, also known as "The Beauty Dish", gives a soft, yet directional light. Meant to provide character lighting in portrait & beauty photography, the Softlight is superb for a wide variety of uses, ranging all the way from product photography to architectural and environmental studies. It is also a distinctive alternative to the widely used softboxes. Character lighting refers to a source of light that is placed close to the subject.

100607	Softlight Reflector, silver 26 °	266,00
100608	Softlight Reflector, white 65 °	266,00
100609	Grid 25 ° 515 mm	239,00
100704	Glass for Softlight reflector	60,00
100714	Diffuser for Softlight Reflector	39,00
901183	<b>NEW</b> Softlight Kit, incl. Softlight White, 25° deg Grid, Diffuser	500,00

## WIDEZOOM REFLECTOR AND ACCESSORIES

This reflector is very versatile with an angle of light from 40 to 70 °s. Even illumination already when used at short distances. The Widezoom reflector produces f/64 @ ISO 100 at 2 meters with a 2400 Ws generator. A more modern, zoomable version of the classic Magnum reflector.

100711	WideZoom Reflector	355,00
100636	Grid Wide-Zoom, 280 mm	185,00

## REFLECTORS FOR RINGFLASHES

Achieves a softer, shadow-free "beauty effect" by enlarging the ring flash area. Ideal for lighting people with a direct yet soft light from the lens position, creating a unique omnidirectional illumination.

100642	Softlight Reflector for Ringflash	279,00
100643	Close-Up Reflector Ringflash	279,00
100717	WideSoft Reflector Ringflash (white)	279,00
100784	Diffuser for Ringflash	179,00

## CINE REFLECTOR AND ACCESSORIES

The Cine Reflector is the world's first combined PAR and Open Face type reflector. It works with all Profoto flash heads and continuous light sources, and provides unparalleled creative control.

901170	<b>NEW</b> Cine Reflector w/o stand attachment	1 025,00
901175	Cine Reflector	1 299,00
100463	Barndoor, for Cine Reflector and Zoom Reflector	333,00
100465	Fresnel Lens, Cine Reflector	157,00
100466	Super Wide Lens, Cine Reflector	148,00
100467	Narrow Spot Lens, Cine Reflector	148,00
100468	Medium Flood Lens, Cine Reflector	148,00
100469	Wide Flood Lens, Cine Reflector	148,00

Fresnel Lens. Optimized for both photography and video application to create diffused and evenly distributed light. Can be used with both PAR and Open Face reflectors. 44° beam with PAR insert. 71° beam at Open Face reflector.

Super Wide Lens provides a 66° beam spread.

Narrow Spot Lens provides 9° beam spread in oval shape.

Medium Flood Lens provides 20° beam spread.

Wide Flood Lens provides 60° beam spread.

100201	Lens bag, Cine Reflector Production Lenses	111,00
100475	Diffusion filter, Cine Reflector	148,00
100474	5500K Dichroic Color filter, Cine Reflector	574,00

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
100473	3200K Dichroic Color filter. Cine Reflector	574,00
901180	Scrim Spare Kit. set of 4 scrims	80,00
100202	Scrim bag. Cine Reflector	56,00

## CINE REFLECTOR KIT'S

901184	<b>NEW</b> Cine Reflector Basic video prod kit, incl 901170, 901177, 100463 and 100475	2 139,00
901176	Cine Reflector Video Production Kit. incl. Cine Reflector and 100463.100475. 901177. 78 and gloves	2 590,00
901177	Production Lens Kit for Cine Reflector. incl. 100465. 66. 67. 68. 69 and 100201	860,00
901178	Scrim Kit for Cine Reflector. incl. 100464.70.71.72.78 and 100202	169,00



## PROFOTO SOFTBOXES

### HR SOFTBOXES (HR = HEAT RESISTANCE)

A line of Heat Resistant Profoto Softboxes made for both flash and continuous light. Ideal for HD video shoots as well as conventional photoshoots. Available as Recessed Front (RF). Any of the Softgrids will fit the HR Softboxes if the size is corresponding.

100481	<b>NEW</b> HR Softbox 1.3 x 1.8' RF (40 x 55 cm)	315,00
100482	<b>NEW</b> HR Softbox 2 x 3' RF (60 x 90 cm)	324,00
100483	<b>NEW</b> HR Softbox 1.5 x 4' RF (45 x 120 cm)	407,00
100484	<b>NEW</b> HR Softbox 3 x 4' RF (90 x 120 cm)	444,00
100485	<b>NEW</b> HR Softbox 2.7 x 2.7' RF (80 x 80 cm)	370,00
100486	<b>NEW</b> HR Softbox 4 x 6' RF (120 x 180 cm)	592,00
100487	<b>NEW</b> HR Lantern 1.7' FLAT (51 x 30 cm)	259,00
100488	<b>NEW</b> HR Lantern 3' FLAT (89 x 43 cm)	287,00
100489	<b>NEW</b> HR Lantern 4' FLAT (122 x 48 cm)	426,00
100490	<b>NEW</b> HR Softbox 1.5 x 3.5' RF-a. Asymmetric	463,00
100491	<b>NEW</b> HR Softbox 2.3 x 5' RF-a. Asymmetric	582,00
100492	<b>NEW</b> HR Softbox Octa 3'	555,00
100493	<b>NEW</b> HR Softbox Octa 5'	703,00
100494	<b>NEW</b> HR Softbox Octa 7'	962,00
901182	<b>NEW</b> Softbox Kit, incl. RFi 60x90 cm / 2x3', Speedring and Softgrid	315,00

### SOFTBOXES

254576	Softbox 1x1.3' RF	299,00
254525	Softbox 2x2' RF	289,00
254526	Softbox 2x3' RF	305,00
254577	Softbox 3x3' RF	355,00
254527	Softbox 3x4' RF	379,00
254535	Softbox 4x6' RF	529,00
254536	Softbox 1x3' RF	289,00
254524	Softbox 1x4' RF	335,00
254534	Softbox 1x6' RF	375,00
254578	Softbox Octa 2.3' RF	449,00
254579	Softbox Octa 2.3' Gold RF	469,00
254528	Softbox 3'Octa RF	519,00
254529	Softbox 5'Octa RF	669,00

# LIGHT SHAPING TOOLS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

## PROFOTO SOFTBOX ACCESSORIES

254537	Flat front diff. 2x2'	43,00
254538	Flat front diff. 2x3'	62,00
254539	Flat front diff. 3x4'	75,00
254540	Flat front diff. 4x6'	99,00
254541	Flat front diff. 1x3'	43,00
254542	Flat front diff. 1x4'	43,00
254543	Flat front diff. 1x6'	47,00
254544	Flat front diff. 3'Octa	83,00
254545	Flat front diff. 5'Octa	99,00
254546	Strip Mask 7cm for 1x4'	79,00
254547	Strip Mask 7cm for 1x3'	74,00
254565	Strip Mask 10cm for 1x6'	89,00
254548	Strip Mask 20cm for 1x3'	74,00
254549	Strip Mask 7cm for 2x3'	102,00
254550	Strip Mask 15cm for 2x3'	102,00
254551	Strip Mask 10cm for 3x4'	119,00
254552	Strip Mask 35cm for 3x4'	119,00
254553	Dia Mask 80cm for 3x4'. circle.	119,00
254555	Grid 40 for Softbox 2x3'	279,00
254556	Grid Kit 40 for Softbox 3x4'	569,00
254558	Grid Kit 40 for Softbox 1x6'	479,00
254557	Grid Kit 40 for Softbox 4x6'	699,00
254560	Softgrid 30 for 2x3'	429,00
254564	Softgrid 30 for 2x2'	419,00
254559	Softgrid 30 1x3'	349,00
254554	Softgrid 40 for Softbox 1x4'	249,00



## SPEED RINGS

Heavy duty speedring to mount Profoto softboxes on other brands flash heads, monolights and continuous light sources. One for all - incl. Strip and Octa versions.

100660	Softbox Mounting Ring for Profoto	129,00
100721	Speed Ring for Bron Pulso	69,00
100722	Speed Ring for Balcar	69,00
100723	Speed Ring for Bowens	69,00
100724	Speed Ring for Elinchrom	69,00
100725	Speed Ring for Multiblitz Profliux	69,00
100726	Speed Ring for Multiblitz Variolite	69,00
100727	Speed Ring for Hensel Expert	69,00
100732	Speed Ring for Bron Visatec	69,00
100633	Adapter Plate 144 mm diameter.	89,00

## UMBRELLAS



All umbrellas fits directly on all actual Profoto flash heads and monolights. The silver version is also compatible with ProTungsten Air and ProDaylight Air if used together with the Cine Reflector.

The Silver Umbrella provides focused lighting, along with soft shadow definition. It is especially suitable for bringing out structural details in materials or if a higher light output is needed.

The White Umbrella gives an even diffused lighting effect with soft shadow definition. The closer to the subject the umbrella is placed, the softer the shadow will be.





The Translucent Umbrella provides diffused lighting around a bright core. The lighting can be varied by changing its distance to the lamp head.



PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
100611	Umbrella White Small 0.85 m diameter	79,00
100612	Umbrella White Medium 1.05 m diameter.	99,00
100719	Umbrella White Large 1.30 m diameter.	200,00
100613	Umbrella Translucent Small 0.85 m diameter.	65,00
100614	Umbrella Translucent Medium 1.05 m diameter.	73,00
100615	Umbrella Silver Small 0.85 m diameter.	114,00
100616	Umbrella Silver Medium 1.05 m diameter.	141,00
100720	Umbrella Silver Large 1.30 m diameter.	252,00
100326	<b>NEW</b> Umbrella XL. white 1.65 m diameter	278,00
100327	<b>NEW</b> Umbrella XL. silver 1.65 m diameter	324,00
100328	<b>NEW</b> Umbrella XL. translucent 1.65 m diameter	185,00
254651	<b>NEW</b> Front Diffuser. Umbrella XL. -1.5 f-stop	91,00
101099	<b>NEW</b> Stand adapter. Umbrella XL	65,00



### OTHER ACCESSORIES

900561	ProBox	636,00
	The ProBox is primarily meant to provide lighting when small subjects are being photographed with highly reflective surfaces. Because its lighting is even all the way out to the edge. several boxes can be stacked together to acheive a larger lighting area, 310mm (12 inch) Table stand included for vertical support.	
100673	ProGlobe Kit	437,00
100674	ProGlobe only (for use on 100660)	253,00
	The ProGlobe gives a surrounding light, similar to a bare bulb effect or, if mounted high up, like a street lamp source. Also known as "Chinese Lantern". If used in combination with a Softbox 3x4' or 4x6' (instead of the internal diffuser) the light distribution gets very soft - almost similar to the historic "Windowlight"™	
100718	Hardbox	694,00
	As a counterpart to the widely used Softboxes. the Hardbox is a unique light shaping tool that reduces the size of the light source to a minimum and creates an extremely crisp. direct light. In addition. the Profoto HardBox efficiently eliminates stray light. offering optimal control even in the narrowest studios. Unlike most spotlights. the HardBox delivers high contrast even at short distances. For even more precise light control. it's possible to use the 5°. 10° or 20° grids and barn doors made for the Standard Zoom Reflector. The Profoto Hardbox fits directly on all current Profoto flash heads and monolights.	
100706	ProFresnel Spotlight	1 399,00
100707	Barndoor for ProFresnel	299,00
	ProFresnel Spotlight provides a directional. concentrated lighting effect which is adjustable by moving the lamphead within the spotlight. The large fresnel glass will provide many possibilites. including classic lighting effects reminiscent of Hollywood portraits of the Thirties and Forties. 300 mm lens diamter and 42° light distribution	
100789	Fresnel small	959,00
	Fresnel Small projects a clean. crisp beam of light. similar to that of natural sunlight. This compact. vented housing features a 150 mm (6") glass Fresnel lens. then adjustable beam-angle control and a tilting light stand mount. Filters can be attached to the front of the Fresnel for additional lighting effects. It attaches to any Profoto flash head. without requiring an adapter. and it is easy to adjust with its built-in iris control. It adjusts the diameter of its projected beam and can also be used with all Profoto heads and monolights.	
100790	Spot small	629,00
100791	Gobos for spot small	169,00
	This high-quality optical focusing spot can be used to project patterns or masked shapes onto your set. Ideal for creating theatrical lighting effects. the small Spot projects a spot as small as 5 cm diameter from a distance of 0.9 m. It attaches to any Profoto flash head and monolights. Accepts "M" size (66 mm) gobos.	

# LIGHT SHAPING TOOLS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

## PROFOTO SPOTLIGHTS & STRIPLIGHTS

Strip-, Spot- and Still-Lights with barndoor. Invaluable for special effects for still life, jewelry and fashion photography, even including stage lighting effects.

For use on Acute, D4 or Pro-7/8 Generators. With integrated flashtubes.

The voltage 120V or 230V on heads/spots are depending on the setting of the flash generator's modelling light voltage. For example the D4 set to ACU gives out 120v or 230V (mains voltage) and in PRO 120V modelling lamp voltage. the Acute2 always gives the same voltage as the mains voltage (230 V in most European markets). Pro8/7 are 120V modelling lamp voltage independent of mains voltage.

The Acute - D4/Pro switch on the Spots are not related to modeling light, this is only regarding the triggering for the flash.



### FRESNELSPOT

Classically-sized spotlight that creates "movie light" with sharp, deep shadows and highly saturated color. When used from a shorter distance, the shadows are more open and light fall-off is reduced. With a large 175 mm diameter fresnel lens, the FresnelSpot offers lighting adjustments between 10 and 50°. The unit also has integrated support for filters and masks. The Profoto FresnelSpot comes with a 300 watt modeling light and can handle up to 2400 Ws through its incorporated flashtube.

100741	FresnelSpot 120 V	4 499,00
100771	FresnelSpot 230 V	4 499,00
100758	BarnDoor for FresnelSpot	299,00
100762	Filter Holder for FresnelSpot	95,00
102071	Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted	19,00
102070	Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted	35,00
102072	Modelling lamp 230 V. 650 W GX/GY 6.35	41,00
901501	Assembly set including flashtube. FresnelSpot	1 399,00
101575	Flashtube for FresnelSpot	597,00
101585	Glass cover for FresnelSpot	170,00



### MULTISPOT

The Profoto MultiSpot offers small and handy directional light perfectly suited for still life, food and beauty photography. The MultiSpot creates a direct, sharp and easy to control light beam. It is the optimal tool for accent or trans-illumination light with deep shadows and maximum color saturation. The Profoto MultiSpot comes with a 300 watt modeling light and can handle up to 1200 watt second through its incorporated flashtube.

100733	MultiSpot 120 V	2 199,00
100773	MultiSpot 230 V	2 199,00
100744	BarnDoor for MultiSpot	199,00
100746	Projection attachment for Dedolight	880,00
100747	Shutter kit (4pcs) for Projection attachment	59,00
100745	Gobos Kit for Multi / Zoom-Spot	799,00
100748	Iris Diaphragm for Projection attachment	139,00
100749	Slide Holder for Projection attachment	80,00
100750	Clear fresnel lens 80mm for MultiSpot	119,00
100775	Mounting adapter for dedolight	364,00
101570	Flashtube for MultiSpot	549,00
102070	Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted	35,00
102071	Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted	19,00

PRODUCT #      DESCRIPTION

PRICE  
EURO  
Excluding VAT



## ZOOMSPOT

The Profoto ZoomSpot is a superb, large focusable Light Shaping Tool that creates a stage lighting effect, an accent light over a large distance, or background projection. The zoom lens is adjustable from a 15 to 35 ° light spread and has a revolving lens unit to simplify lighting adjustments. The Profoto ZoomSpot also has integrated support for filters, gobos and masks. It comes with a 300 watt modeling light and can handle up to 2400 Watt second through its incorporated flashtube.

100734	ZoomSpot 120 V	6 499,00
100764	ZoomSpot 230 V	6 499,00
100774	Iris Diaphragm for ZoomSpot	399,00
100745	Gobos Kit for Multi / Zoom-Spot	799,00
101571	Flashtube for ZoomSpot	829,00
100694	Pin Spot Set 6 pieces.	54,00
100695	Pattern Holder for ProSpot	57,00
100778	Filter holder for ZoomSpot	47,00
102071	Modelling lamp 120 V, 300 W GX/GY 6.35 Frosted	19,00
102072	Modelling lamp 230 V, 650 W GX/GY 6.35	41,00



## STICKLIGHT

The Profoto StickLight is a small and handy lamp head for car, furniture, interior and people photography. Can be placed behind or even inside a car or cupboard to create sublime lighting effects.

100738	StickLight	1 574,00
101573	Flashtube for StickLight	447,00



## STRIPLIGHTS

A creative tool for beauty, people, still life, car and furniture photography, the StripLights create sharp outlines and soft edge shadows. They are also perfectly suited for background illumination and to accentuate structures. The Profoto StripLights offer perfectly even illumination with no visible light falloff and can be stacked to create larger light sources. They have an integrated stand adapter and can be used with either the standard frosted plexiglas cover or an optional clear front cover for faster light fall-off and more character. Depending on the size of the Strip Light they come with 1, 2 or 3 flashtubes each having its own power cable for connection to the flash generator. This makes it possible to allow distinctive graduation control on the two larger units. All three StripLights offer fully proportional modeling lights and optional barn doors for stray light control.

100735	Profoto Strip Small 120 V, Length 70 cm (27 in.)	2 399,00
100765	Profoto Strip Small 230 V, Length 70 cm (27 in.)	2 399,00
100742	BarnDoor for StripLight Small	399,00
100751	Diffusing cover for StripLight Small (standard)	257,00
100752	Clear cover for StripLight Small (Optional)	285,00
100780	Striplight Case Small	765,00
100736	Profoto Strip Medium 120 V, Length 130 cm (51 in.)	3 666,00
100766	Profoto Strip Medium 230 V, Length 130 cm (51 in.)	3 666,00
100743	BarnDoor for StripLight Medium	499,00
100753	Diffusing cover for StripLight Medium (standard)	308,00
100754	Clear cover for StripLight Medium (Optional)	355,00
100781	Striplight Case Medium	999,00
100737	Profoto Strip Large 120 V, Length 190 cm (75 in.)	4 799,00
100767	Profoto Strip Large 230 V, Length 190 cm (75 in.)	4 799,00
100757	BarnDoor for StripLight Large	499,00
100755	Diffusing cover for StripLight Large (standard)	338,00
100756	Clear cover for StripLight Large (Optional)	399,00
100782	Striplight Case Large	1 399,00
101578	Flashtube for StripLight & StillLight	789,00

# LIGHT SHAPING TOOLS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
102073	Modelling lamp 12 V. 20 W G4	4,00
102074	Modelling lamp 24 V. 20 W G4	4,00



## STILLLIGHTS

Hard-sided light sources with a perfectly even illumination and extremely low light fall-off from corner to corner. Designed for large still life and fashion photography. they offer a soft wrapping quality of light that produces exceptional tonal reproduction. This makes it versatile enough to photograph everything from skin tones to highly reflective subjects. such as glass and jewelry. It can be used with Acute. D4 and Pro-8/7 generators.

The Profoto StillLight XL. comes with 4 x 250 watt modeling lights and max power is 14.400 Watt second.

The Profoto StillLight XXL comes with 4 x 250 watt modeling lights and can handle up to 19.200 Watt second.

100739	StillLight XL 120 V, size 60 x 80 cm (24 x 32 in.)	5 999,00
100769	StillLight XL 230 V size 60 x 80 cm (24 x 32 in.)	5 999,00
100776	BarnDoor for StillLight XL. one	299,00
100740	StillLight XXL 120 V, size 80 x 120 (32 x 48 in.)	10 999,00
100770	StillLight XXL 230 V, size 80 x 120 (32 x 48 in.)	10 999,00
100777	BarnDoor for StillLight XXL. one	299,00
101578	Flashtube for StripLight & StillLight	789,00
102075	Modelling lamp 230 V. 150 W Ba15d	23,00
102076	Modelling lamp 120 V. 150 W Ba15d	32,00
102077	Modelling lamp 120 V. 75 W Ba15d	16,00
102078	Modelling lamp 230 V. 75 W Ba15d	16,00

## EASYSTANDS

The EasyStand M is a stable and solid runner with manual height adjustment. This allows a very low lamp position. This stand is perfectly suited for Fresnel and Zoom spots. small light banks. diffusion screens and normal heads with huge reflectors. The EasyStand L and XL have a stable and solid runner with a strong column and "zero gravity control" via weight balance for up to 4.5 or 8 pounds. respectively. All three stands include roller wheels. screw lock; 5/8 in. stand adaptor and a generator platform plate.

101090	EasyStand M	1 144,00
101091	EasyStand L	2 599,00
101092	EasyStand XL	4 065,00
101094	EasyStand XXL Electric	6 999,00

## MOLA. DISTRIBUTED BY PROFOTO

Mola's unique patented designs allow you to get more work out of less light. The Mola reflectors captures and focuses light with maximum efficiency. It is shaped to intercept all paths of light, no matter which direction they leave the flash tube, and redirect them toward the subject. Mola reflectors provide a slight warming effect to light. Internal and external diffusers are used to modify light temperature and dampen UV light output.

100401	MOLA Demi Reflector 22.0"	432,00
100402	MOLA Setti Reflector 28.0"	919,00
100403	MOLA Euro Reflector 33.5"	1 069,00
100404	MOLA Mantti Reflector 43.5"	1 275,00
100405	MOLA Demi Silver Reflector 22.0"	518,00
100406	MOLA Setti Silver Reflector 28.0"	1 042,00
100407	MOLA Euro Silver Reflector 33.5"	1 211,00
100408	MOLA Mantti Silver Reflector 43.5"	1 459,00
100409	MOLA Beamm Reflector	1 275,00

## MOLA ACCESSORIES

100411	MOLA Opal Glass All Units	96,00
100412	MOLA Demi Diffuser	76,00
100413	MOLA Setti Diffuser	86,00

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
100414	MOLA Euro Diffuser	90,00
100415	MOLA Mantti Diffuser	103,00
100416	MOLA Hardware All Units	108,00
100417	MOLA Perfor. Alum. Diffuser All Units	63,00
100418	MOLA Demi Mesh Diffuser	86,00
100419	MOLA Setti Mesh Diffuser	96,00
100420	MOLA Euro Mesh Diffuser	108,00
100421	MOLA Mantti Mesh Diffuser	119,00
100633	Adapter Plate 144 mm diameter for Profoto	89,00

## SYNCHRO DEVICES

### SYNC CABLES

103001	Synchro Cable 5 m	19,00
103002	Synchro Ext. Cable 5 m	20,00
103006	Double Synchro Inlet	14,00
103010	D1 Sync cable 5 m	14,00

## PROFOTO AIR SYSTEM



Now it is easy to control and trigger your light from as far away as 300 m (1000 ft). Our digital radio system. Profoto Air Remote. is built into D1 Air monolights. D4 Air and Pro-8a Air generators. In addition. Profoto's continuous light sources ProTungsten Air and ProDaylight Air offer remote control functionality as well.

The Profoto Air USB 2.0 transceiver connects your flash generators to the Profoto Studio software for both PC and Mac. This gives you direct control of your studio flash system remotely from your keyboard.

901031	Profoto Air remote	206,00
901032	Profoto Air sync	161,00
901034	Profoto Air USB	362,00
901035	Profoto Air Sync Kit. incl.2 Profoto Air Sync	299,00

### PROFOTO AIR ACCESSORIES AND OTHER CABLES

103011	Male 3.5 mm miniphone to PC	6,00
103012	<b>NEW</b> Male 3.5 mm miniphone to Canon remote connector	22,00
103023	<b>NEW</b> Male 3.5 mm miniphone to Canon remote connector. Pre-Release	45,00
103013	<b>NEW</b> Male 3.5 mm miniphone to Nikon remote connector	22,00
103024	<b>NEW</b> Male 3.5 mm miniphone to Nikon remote connector. Pre-Release	59,00
103014	<b>NEW</b> Male 3.5 mm miniphone to Hasselblad remote connector	48,00
103025	<b>NEW</b> Male 3.5 mm miniphone to Hasselblad remote connector. Pre-Release	36,00
103026	<b>NEW</b> Male 3.5 mm miniphone to Olympus remote connector	41,00
103027	<b>NEW</b> Male 3.5 mm miniphone to Olympus remote connector. Pre-Release	45,00
103028	<b>NEW</b> Male 3.5 mm miniphone to Phase One remote connector	72,00
103029	<b>NEW</b> Male 3.5 mm miniphone to Sony remote connector	41,00
103016	1/4 Phono male to 3.5mm miniphone male	7,00
103017	USB 2.0 Extension Cable. Type-A Male to Female	4,00
103018	Sync adapter 1/4 Phono male to miniphone	7,00
103019	Plastic Hotshoe Grip	6,00
103020	Male 3.5 mm miniphone to miniphone. 30 cm	7,00
103201	USB Standard Cable 5 m	5,00

# MISCELLANEOUS

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
-----------	-------------	--------------------------------

## HEAD ACCESSORIES

100708	Transport Protective Cap	14,00
100638	Metall Protective Cap	70,00
303518	Pro Lamp Extension Cable 5 m	255,00
303519	Pro Lamp Extension Cable 10 m	345,00
100709	Handle Pro-7Head	35,00
301503	Glass Cover for Ringflash	20,00
330601	Lamp extension cable for Acute/D4 head and AcuteB Head 5 m	189,00
100702	Locking Device Kit (2pcs)	8,00



## BATTERY ACCESSORIES

100290	Profoto battery charger 1 A	99,00
100218	Profoto battery charger 2 A	215,00
900765	Pro-B Universal Power Adapter Kit	1 310,00
900895	Pro-B MainsDock	899,00
901123	BatPac EU. includes Charger 2A (100218). power cable's (2 x 102501) & BatPac bag	1 059,00
901124	BatPac US. includes Charger 2A (100218). power cable's (2 x 102509) & BatPac bag	1 059,00
900926	LiFe Battery including Cassette (for Pro-B3. Pro-B2 and Pro-7b)	689,00
900726	Pb Battery including Cassette (for Pro-B3. Pro-B2 and Pro-7b)	379,00
100221	Pb Battery for Pro-B 12 V. 12 Ah (for 900726)	89,00
901105	LiFe Battery incl. Cassette	359,00
900934	Pb Battery incl. Cassette	169,00
100222	Pb Battery for AcuteB 12 V. 5 Ah (for 900934)	35,00

## POWERING ACCESSORIES

102506	Power Cable EUR Pro-6/7/8 and D4 gnd	49,00
102507	Power Cable US/CAN Pro-6/7/8 and D4 gnd	39,00
102514	Power Cable Pro-6/7/8 and D4 Denmark	59,00
102516	Power Cable Pro-6/7/8 and D4 U.K.	49,00
102520	Power Cable Pro-6/7/8 and D4 Schweiz	59,00
100217	ProGas2	499,00
	Protective device against damaging high voltage. Must be used when powering Pro-8, Pro-7, Pro-6, ProPack, Acute, D4, D1 or ComPact with a 230 V petrol electric generator set.	
102501	Power Cable Acute/D1 EUR	20,00
102502	Power Cable Acute/D1 JAP	24,00
102509	Power Cable US/CAN Acute gnd	36,00
102517	Power Cable Acute/ComPact U.K.	20,00
102513	Power Cable Acute/ComPact DEN.	33,00
102519	Power Cable Acute/CP Schweiz	31,00
102527	Power Cable Acute/D1 AUS	35,00



## FLASHTUBES

The Proring and Acute/D4 ring Flashtube is not user replaceable. Please, contact your Profoto service station.

101528	Prohead Flashtube (For Prohead. Pro-B Head and older heads for Pro-6/7)	365,00
101532	Single ProTwin Flashtube	419,00
301501	Flashtube Proring UV	479,00
301502	Flashtube Proring UNC	479,00

PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
301508	Flashtube Proring2	899,00
331507	ComPact Flashtube UV-coated	143,00
331508	ComPact Flashtube uncoated	143,00
331511	ComPactPlus Flashtube UV-Coat.	174,00
331510	ComPactPlus Flashtube Uncoated	174,00
331521	Flashtube AcuteB UNC	179,00
331514	Flashtube ComPact 1200 and Acute2	325,00
331515	Flashtube Acute/D4 Twin	399,00
331517	Flashtube Acute/D4 Ring UV	499,00
331518	Flashtube Acute/D4 Ring UNC	499,00
331522	Flashtube D1 250	99,00
331523	Flashtube D1 500/1000	109,00
101570	Flashtube for MultiSpot	549,00
101571	Flashtube for ZoomSpot	829,00
101573	Flashtube for StickLight	447,00
901501	Assembly set including flashtube. FresnelSpot	1 399,00

## MODELLING LAMPS

102013	250 W. 240 V Halogen Mini-can E11 socket	20,00
102015	500 W. 240 V Halogen Mini-can E11 socket	31,00
102010	150 W. 230 V Halogen Modeling lamp E27	18,00
102012	250 W. 240 V Halogen Modeling lamp E27	22,00
102011	150 W. 120 V Halogen Modeling lamp E27	18,00
102016	250 W. 120 V Halogen Modeling lamp E27	22,00
102002	250 W. 120 V Halogen Mini-can E11 socket	22,00
102007	500 W. 120 V Halogen Mini-can E11 socket	31,00
102014	100 W. 120 V Halogen Mini-can E11 socket	19,00
102019	20 W. 12 V Frosted G4 (For ProRing2)	3,00
102018	65 W. 12 V Halogen GX/GY 6.35 (AcuteB Head only)	11,00
102071	Modlamp 120 V. 300 W. D1	19,00
102073	Modelling lamp 12 V. 20 W G4	4,00
102074	Modelling lamp 24 V. 20 W G4	4,00
102075	Modelling lamp 230 V. 150 W Ba15d	23,00
102076	Modelling lamp 120 V. 150 W Ba15d	32,00
102077	Modelling lamp 120 V. 75 W Ba15d	16,00
102078	Modelling lamp 230 V. 75 W Ba15d	16,00



## GLAS COVERS

101533	Glass Cover 75 mm UV -300 K (Standard)	159,00
101535	Glass Cover 75 mm UV -600 K	159,00
101534	Glass Cover 75 mm UNC 0 K	149,00
101537	Glass Cover 75 mm Clear UV -300 K	159,00
101536	Glass Cover 75 mm Clear UNC 0 K	149,00
101518	Glass Cover 100 mm UV -300 K	169,00
101519	Glass Cover 100 mm UV -600 K	169,00
101520	Glass Cover 100 mm frosted 0 K	159,00
101521	Glass Cover 100 mm UV Clear -300 K	169,00
101523	Glass Cover 100 mm Clear 0 K	159,00
331524	Glass plate. Standard. D1	37,00
331525	Glass plate D1. Clear	34,00



PRODUCT #	DESCRIPTION	PRICE EURO Excluding VAT
331526	Glass plate D1. -300 K	55,00
331527	Glass plate D1. -600 K	55,00
101561	Glass cover D1	99,00
101562	Glass cover D1. -600 K	119,00
101563	Glass cover D1. -300 K	119,00
301503	Glass Cover Ringflash	20,00
100702	Locking Device Kit (2pcs)	8,00

## STANDS AND STAND ADAPTERS

101060	<b>NEW</b> Mini Compact Stand	91,00
101061	<b>NEW</b> Compact Stand	99,00
101079	Adapter 16 mm OH	15,00
331001	Stand attachment for ComPacts	99,00
101085	D1 stands	45,00

## CASES AND BAGS

100281	Dust cover D4 Generator	69,00
330211	D1 Basic /AcuteB kit bag	85,00
330212	D1 Studio kit bag	101,00
340202	Pro-B Protective Bag	199,00
340203	Pro Generator Case	414,00
340204	Pro Generator/Head Case	485,00
340205	Pro Generator/Head Case Long	508,00
340206	Acute Generator/Head Case	543,00
340207	Divider for 7b and B2 batteries (fits to 340203. 340204. 340205)	35,00
340212	SoftLight reflector case	299,00
340213	3 Magnum reflector case (For 3 Profoto Magnum reflectors)	309,00
340214	5 Magnum reflector case (For 5 Profoto Magnum reflectors)	349,00
100780	Striplight Case Small	765,00
100781	Striplight Case Medium	999,00
100782	Striplight Case Large	1 399,00
254581	Bag for Giant 150	129,00
254582	Bag for Giant 180 & 210	199,00
254583	Bag for Giant 240	295,00
254584	Bag for Giant 300	349,00

